



IFP50 - ViewBoard Interactive Series: Connect, Collaborate, Share

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP4320	43"	3840 x 2160	10-Point Touch	38.1 x 21.9 x 2.2	-	-	-	HDMI 2.0 In, DVI-D, DisplayPort, Composite RCA, USB 2.0 Type B, USB 3.1 Type C, Ethernet LAN (RJ45)
IFP5550 - GEN 1	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 3.8	16/7	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550 - GEN 2	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550 - GEN 3	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-E1	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 5.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP5550-E2	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 29.4	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-E3	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 5.6	-	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-E4	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-M1	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-M2	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550 - GEN 1	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 3.9	16/7	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550 - GEN 2	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550 - GEN 3	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-E1	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-E2	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 29.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-E4	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP6550-M1	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-M2	65"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7500	75"	3840 x 2160	20-Point Touch	68.4 x 40.8 x 4.3	-	-	-	HDMI In(x4), VGA, YPbPr, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x2), OPS PC Slot, USB 2.0 OPS passthrough(x2), USB B Touch Port, RS232 Out, Ethernet LAN (RJ45), SDM Slot
IFP7550 - GEN 1	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 3.9	16/7	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550 - GEN 2	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550 - GEN 3	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-E1	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-E2	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 29.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-E4	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-LA-V3	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-M1	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP7550-M2	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650 - GEN 1	86"	3840 x 2160	20-Point Touch	78.3 x 46.7 x 3.9	16/7	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP8650 - GEN 2	86"	3840 x 2160	20-Point Touch	77.1 x 45.7 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650 - GEN 3	86"	3840 x 2160	20-Point Touch	77.1 x 45.7 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-E1	86"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-E2	86"	3840 x 2160	20-Point Touch	78.3 x 46.7 x 29.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-E4	86"	3840 x 2160	20-Point Touch	77.1 x 45.7 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-M1	86"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-M2	86"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	16/7	-	Yes	HDMI 2.0 In(x3), VGA, DisplayPort, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP9850	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP9850-E1	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP9850-E2	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP9850-E4	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP9850-M1	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP9850-M2	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	16/7	-	Yes	HDMI 2.0 In(x3), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x4), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

IFP60 - ViewBoard Interactive Series: Connect, Collaborate, Share

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP6560	65"	3840 x 2160	20-Point Touch	61.6 x 38.1 x 3.7	16/7	-	-	HDMI 1.4 In, HDMI 2.0 In(x2), HDMI Out, VGA, DisplayPort, 3.5mm Audio In, 3.5mm Audio Out, USB 3.0(x2), USB 2.0(x3), OPS PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45)
IFP7560	75"	3840 x 2160	20-Point Touch	70.5 x 43.1 x 4.3	16/7	-	-	HDMI 1.4 In, HDMI 2.0 In(x2), HDMI Out, VGA, DisplayPort, 3.5mm Audio In, 3.5mm Audio Out, USB 3.0(x2), USB 2.0(x3), OPS PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), SDM Slot

IFP70 - ViewBoard Interactive Series: Connect, Collaborate, Share

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP6570	65"	3840 x 2160	20-Point Touch	58.8 x 34.8 x 3.3	-	-	Yes	HDMI 2.0 In, DisplayPort, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 3.1 Type C, Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Sensor Hub Connector

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP6570-S	65"	3840 x 2160	20-Point Touch	58.8 x 34.8 x 3.3	-	-	Yes	HDMI 2.0 In, DisplayPort, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 3.1 Type C, Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Sensor Hub Connector
IFP8670	86"	3840 x 2160	20-Point Touch	77.2 x 45.1 x 3.3	-	-	Yes	HDMI 2.0 In, DisplayPort, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 3.1 Type C, Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Sensor Hub Connector

Slot-In PCs: More Computing Power

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
VPC10-WP	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	8GB	No Operating System	10/100/1000 Gigabit Ethernet	9.7 x 10.4 x 1.25
VPC10-WP-2	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC10-WP-4	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	8GB	Windows® 10	Gigabit ethernet	10.4 x 1.25 x 9.7
VPC10-WP-8	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC12-WPO	Slot-in PC	Intel i5-6300U with vPro Technology	Intel HD Graphics 520	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	7.1 x 4.7 x 1.2
VPC12-WPO-2	Slot-in PC	Intel i5-6300U with vPro Technology	Intel HD Graphics 520	8GB	Windows® 10 Pro	Gigabit ethernet	7.1 x 4.7 x 1.2
VPC12-WPO-6	Slot-in PC	Intel i7-7600U with vPro Technology	Intel HD Graphics 620	8GB	Windows® 10 Pro	Gigabit ethernet	7.1 x 4.7 x 1.2
VPC14-WP-2	Slot-in PC	Intel i5-6500 with vPro Technology	Intel HD Graphics 530	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC14-WP-4	Slot-in PC	Intel i5-6500 with vPro Technology	Intel HD Graphics 530	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC15-WP-4	Slot-in PC	Intel i5-8400 2.8GHz	Intel UHD Graphics 630	8GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC15-WP-6	Slot-in PC	Intel i5-8400	Intel UHD Graphics 630	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC16-WP-4	Slot-in PC	Intel i5-8500 3.0GHz with vPro Technology	Intel UHD Graphics 630	8GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC17-WP-6	Slot-in PC	Intel i7-8700 3.2GHz with vPro Technology	Intel UHD Graphics 630	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC25-W33-P1	Slot-in PC	Intel® Core™ i5-10400T	Intel UHD Graphics 630	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	9.7 x 10.4 x 1.3
VPC25-W53-O1	Slot-in PC	Intel® Core™ i5-10400T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	-
VPC25-W53-O1-1B	Slot-in PC	Intel® Core™ i5-10400T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	8.0 x 4.7 x 1.2
VPC25-W53-O2	OPS Slot-In PC	Intel® Core™ i5-10500T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	-
VPC25-W53-O2-1B	Slot-in PC	Intel® Core™ i5-10500T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	8.0 x 4.7 x 1.2
VPC25-W53-P1	OPS Slot-In PC	Intel® Core™ i5-10400T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	9.7 x 10.4 x 1.3

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
VPC25-W53-P2	OPS Slot-In PC	Intel® Core™ i5-10500T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	9.7 x 10.4 x 1.3
VPC27-W55-O2	Slot-in PC	Intel® Core™ i7-10700T	-	16GB	Windows® 10 Pro	10/100/1000 MB	-
VPC27-W55-O2-1B	Slot-in PC	Intel® Core™ i7-10700T	Intel UHD Graphics 630	16GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	8.0 x 4.7 x 1.2
VPC2C-W33-O1-1B	Slot-in PC	Intel® Celeron™ G5900T	Intel UHD Graphics 610	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	8.0 x 4.7 x 1.2